



FEATURES

100% Cotton Fire Retardant Garment.

Garment tested for heat & flame, welding, limited flame spread and electrostatic, special finish for increased wearer comfort.

Safety and protection with durability, two front chest pocket, one oen pocket.

Two swing pockets on leg and two back pockets on hip.

Velcro to adjust the sleeves and two way high quality metal zipper with flap.

High quality reflective tapes on arm and leg for high visibility.

APPLICATION

Protective clothing for use in welding and allied processes.

To protect against heat and flame.

Protection against electrostatic properties.

Protective clothing against limited flame spread.

COLOUR, SIZE & ERP CODES



ERP Code
E1-10-05-04

Size Available
S to 4XL

Colour
NAVY BLUE



ERP Code
E1-10-05-06

Size Available
S to 4XL


Colour
ORANGE




STANDARDS

CE CAT 1, EN11612, EN11611, EN14116, EN1149.

SKETCH DIAGRAM FRONT




SKETCH DIAGRAM BACK



SIZE CHART

PART SIZE	S	M	L	XL	2XL	3XL	4XL
CHEST	114	119	124	132	139	149	159
COLLAR	43	44	46	47	48	50	52
SHOULDER	48	49	50	51.5	55.5	56.6	59
CENTRAL BACK TO RISE	90.2	91.5	92.7	94	97.2	99	101.5
CENTRAL BACK TO WAIST	49	50	51.5	53	55.5	56.5	59.5
ARMHOLE	28.5	30	31	32.5	34	35.5	37
SLEEVE LENGTH	53.5	56	58.5	61	63.5	68.5	73.5
SLEEVE OPENING	30	33	36	38	40	42	43
WAIST RELAX	83	88	93	98	108.5	115.5	129
WAIST STRETCH	104	109	114	119	129.5	139.5	150
HIP	111	116	121	129	137	147	157
INSEAM	72	74	74	77	77	77	77
THIGH	49	49	49	49	49	49	49
COLLAR HEIGHT	8	8	8	8	8	8	8
COLLAR POINT	8	8	8	8	8	8	8

PACKAGING

UNIT	STANDARD	PACKING PER PKT	PACKING PER CTN	ORIGIN	NET WEIGHT / CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.)	CBM PER CTN
Piece	 EN ISO 11611 EN ISO 11612 EN ISO 14116 EN ISO 1149 CE CAT 1	1 Piece	20 Pieces	CHINA	_____	S - 24.15 M - 25.14 L - 26 XL - 27.23 2XL - 28.7 3XL - 4XL -	_____	_____