

Product Data Sheet for KLEENGUARD\* G10 Arctic Blue Nitrile Gloves - 24cm Ambidextrous / Blue

Product Information

<b>Customer Facing Code</b>	90095 - 90099
<b>Description</b>	KLEENGUARD* G10 Arctic Blue Nitrile Gloves - 24cm Ambidextrous / Blue
<b>PDS Reference</b>	24/08/2018
<b>Status</b>	On Sale



Packaging Configuration

<b>Case Contents</b>	10 Dispenser Boxes x 180 Gloves = 1800 Gloves
<b>Outer Pack Material</b>	Paper
<b>Commodity Code</b>	40151900

Packaging and Palletisation

Code/Size	ITF Barcode	EAN Barcode	Case LWH (cm)	Net/Gross Weight (kg)	Pallet Type	Pallet LWH (m)	Cases per Pallet	Inner Gross Weight (Kg)
90095-XS	10036000900955	036000900958	41.3 x 26.7 x 25.7	7.46/8.74	E5	1.20 x 0.80 x 1.44	8 x 5 =40	0.83
90096-S	10036000900962	036000900965	41.5 x 26.9 x 26.1	9/9.97	E5	1.20 x 0.80 x 1.46	8 x 5 =40	0.97
90097-M	10036000900979	036000900972	41.5 x 26.9 x 26.1	9/9.97	E5	1.20 x 0.80 x 1.46	8 x 5 =40	0.94
90098-L	10036000900986	036000900989	41.5 x 26.9 x 26.1	10.04/11.32	E5	1.20 x 0.80 x 1.46	8 x 5 =40	1.08
90099-XL	10036000900993	036000900996	41.5 x 26.9 x 26.1	10.296/11.26	E5	1.20 x 0.80 x 1.46	8 x 5 =40	1.10

Product Description

Kleengaurd\* G10 gloves are designed to provide maximum comfort and protection for tasks where safety and flexibility is key. The gloves' synthetic nitrile rubber material provides extra resistance and durability when compared with latex, making them the ideal choice for hand protection. With PPE Category 1 protection, these gloves are perfect for use in the automotive, warehousing, engineering, cleaning, food processing and catering industries. Powder-free and latex-free, these gloves have beaded cuffs for added strength and textured fingertips for improved grip. With a wide size range of XS to XL and an ambidextrous design, Kleengaurd\* gloves are perfectly suited for any user and come in a portable dispenser box for mobility and easy access. This product is certified for food contact and is up to the standard of BFR XXXVI, which is considered the benchmark for food legislation in Europe. This makes it perfect for use in any environment where food preparation is involved. Glove size 0.06mm (Thick) x 24cm (L). For other glove sizes, see product codes 90095, 90096, 90097 and 90098. 10 dispenser boxes x 180 ambidextrous, blue gloves, XL, (1,800 total)

# Product Data Sheet for KLEENGUARD\* G10 Arctic Blue Nitrile Gloves - 24cm Ambidextrous / Blue

## Features and Benefits

Features	Benefits
<b>Ambidextrous</b>	Cost in use
<b>Beaded cuff</b>	For easy donning
<b>CE Marked – Category 1</b>	Sign of quality and protection
<b>Independently accredited</b>	Suitable for Food Handling
<b>Latex Free</b>	Reduces potential for Type 1 glove – associated reactions, Eliminates the potential risk of Type I reactions
<b>Powder free</b>	To avoid skin allergies, Minimises drying effect of powder on skin
<b>Textured fingertips</b>	To help grip, Excellent tactile sensitivity

## Product Configuration

<b>Sterile</b>	No	<b>Latex Free</b>	Yes
<b>Main Protection Type</b>	CE Simple	<b>Application</b>	Industrial
<b>Ambidextrous</b>	Yes	<b>Powdered</b>	No
<b>Material</b>	Nitrile	<b>Coated</b>	No
<b>Liner</b>	No	<b>Coating</b>	No
<b>Colour</b>	Blue	<b>AQL</b>	1.5
<b>Cuff Style</b>	Rolled Beaded	<b>Length</b>	240 mm
<b>Thickness</b>	0.06mm		

# Product Data Sheet for KLEENGUARD\* G10 Arctic Blue Nitrile Gloves - 24cm Ambidextrous / Blue

## International Standards and Symbols

### Solution

#### Healthier Workplace

The HEALTHY WORKPLACE PROJECT\* is a comprehensive office hygiene programme which helps engage employees and reduce sickness.



#### Safer Workplace

We know staff safety is your top priority. You can rely on our solutions to protect them, their environment and your important work.



#### Productive Workplace


The success of your business hinges on your work efficiency. That's why our solutions are designed to help improve your productivity.



### Standard R+E

#### Food Contact Regulations

This product is suitable for food contact and complies with Regulation (EC) No. 1935/2004. Furthermore, nitrile rubber gloves comply with Regulation (EC) No. 10/2011 and German Recommendation, BfR No. XXI, and paper products comply with German Recommendation, BfR No. XXXVI.



#### CE Mark

Simple - CAT I, Intermediate - CAT II or Complex - CAT III



### Trade

#### ISO 9001

This gives the requirements for quality management systems, is now firmly established as the globally implemented standard for providing assurance about the ability to satisfy quality requirements and to enhance customer satisfaction in supplier-customer relationships.



**ISO 9001:2008**

### Packaging

<b>Unit Of Sale</b>	Case	<b>Max Weight(kg)</b>	12.39
<b>Case Dimension(LXWXH)(cm)</b>	41.5 x 26.9 x 26.1	<b>Inner Pack Material</b>	Paper

### Instructions

Protect from heat and radioactive sources.

Keep Dry. Store in a cool, dry place.

Single use only.

# Product Data Sheet for KLEENGUARD\* G10 Arctic Blue Nitrile Gloves - 24cm Ambidextrous / Blue

## Information

It is the employer's responsibility to assess the risk of the task to be undertaken and determine the correct choice of personal protective equipment for the task. The manufacturer, Kimberly-Clark, does not accept any responsibility for the incorrect choice or misuse of the personal protective equipment shown in this brochure. All care has been taken to ensure that the information contained herein is as accurate as possible at the time of publication, however errors may occur and legislation concerning personal protective equipment is under constant review and may change in the lifetime of this brochure. Accordingly, the specification for the products may be subject to change. We would advise you to contact INFOFAX if you have any queries concerning the products shown or the suitability of such products for a particular task. Always dispose of used protective equipment in a safe and appropriate manner in accordance with European, National and Local environmental regulations.

<b>Infobox Details</b>	infofax@kcc.com	<b>Websites</b>	www.kcprofessional.co.uk
<b>Storage conditions</b>	Keep dry. Store in a cool dry place and shield from exposure to direct sunlight, intense artificial light or exposure to sources of radiation or ozone.	<b>Durability</b>	This product has a five years shelf life from the date of manufacture.
<b>Customer Service Number</b>	For more information please contact Customer Service during regular office hours-0870 551 044		
<b>Country of Origin</b>	MALAYSIA		